

| Ref | Hits | Search Query | DBs | Default | Plurals | Time Stamp |
|-----|------|--|---|----------|---------|------------------------------------|
| # | | | | Operator | | J. J |
| L3 | 2998 | (microphone transducer noise background environment environment environmental distortion interference) near8 (varies difference changes change differs differing changed changing deviat\$4 vary\$3 fluctuat\$4) near10 (updat\$4 adjust\$4 adapt\$3 increas\$4 decreas\$4 lower\$4 rais\$4 frequent frequently often fast\$2 slow\$2 rapid\$2) near8 (estimat\$4 extract\$4 interval period periodic sample sampling) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR OR | ON | 2006/11/30 09:36 |
| | | | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ٠ | | |
| L4 | 33 | (microphone transducer noise background environment environmental distortion interference) near8 (nonstationary non-stationary stationary) near8 (sampling sample updat\$3 estimat\$4) near7 (interval period periodic cycle) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/30 09:39 |
| L5 | 3862 | (microphone transducer noise background environment environmental distortion interference) near8 (nonstationary non-stationary stationary difference rapid\$2 quick\$2 fast\$2 fluctuat\$4 changing changes changed vary\$3 varies increas\$2 decreas\$2 different differ\$3) near8 (sampling sample updat\$3 estimat\$4) near7 (interval period periodic cycle time timing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/11/30 09:42 |
| L6 | 611 | I5 and ("704"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls. "381"/\$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/30 09:43 |
| L7 | 1 | 09/972929 | US-PGPUB; USPAT | OR | OFF | 2006/11/30 11:05 |
| L8 | 1 | "6418411":pn. | US-PGPUB; USPAT | OR | OFF | 2006/11/30 11:05 |

11/30/06 12:10:17 PM

| L20 | 2411 | (704/233 704/243 704/244 704/231).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/30 11:56 |
|-----|------|--|---|----|----|------------------|
| S82 | 1190 | ((chang\$5 increas\$5 decreas\$5 adjust adjusting updat\$4) near8 (time frequency period) near7 (sampl\$3 adapt\$4)) same (threshold level watermark limit) near7 (exceed\$4 below under) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 14:13 |
| S83 | 39 | S82 and "704"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 14:16 |
| S84 | 222 | ((chang\$5 increas\$5 decreas\$5 adjust adjusting updat\$4 lower\$4 rais\$4) near8 (time frequency period delay) near7 (sampl\$3 acquisition)) same (threshold level watermark limit) near8 (exceed\$4 below under) near8 (difference distance change) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 14:53 |
| S85 | 5 | S84 and "704"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 14:16 |
| S86 | 11 | (((chang\$5 increas\$5 decreas\$5 adjust adjusting updat\$4 lower\$4 rais\$4) near8 (time frequency period delay) near7 (sampl\$3 acquisition)) same (threshold level watermark limit) near8 (exceed\$4 below under) near8 (difference distance change)) same (speech voice audio transducer microphone) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 14:25 |
| S87 | 215 | "704"/\$.ccls. and ((threshold level watermark limit) near8 (exceed\$4 below under) near8 (difference chang\$4)) same (speech voice audio transducer microphone) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 14:31 |



| S88 | 63 | "704"/\$.ccls. and ((threshold level watermark limit) near8 (exceed\$4 below under) near8 (difference chang\$4)) same (speech voice audio transducer microphone) same (period periodic time delay) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 14:32 |
|-----|--------|--|---|----|---------|------------------|
| S89 | 100 | ((chang\$5 increas\$5 decreas\$5 adjust adjusting updat\$4 lower\$4 rais\$4) near8 (time frequency period delay) near7 (sampl\$3 acquisition)) near10 (unchang\$4 "same" constant) same (speech voice microphone transducer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 15:16 |
| S90 | 24 | rose.in. and "704"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 15:46 |
| S91 | 359076 | ((chang\$5 increas\$5 decreas\$5 adjust adjusting updat\$4 lower\$4 rais\$4) near8 (time frequency period delay periodicity periodic)) near10 (unchang\$4 "same" constant ((threshold limit level difference change) near7 (less below under exceed\$4))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 15:19 |
| S92 | 363772 | ((chang\$5 increas\$5 decreas\$5 adjust adjusting updat\$4 lower\$4 rais\$4) near8 (time timing frequency period delay periodicity periodic)) near10 (unchang\$4 "same" constant ((threshold limit level difference change) near7 (less below under exceed\$4))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 15:22 |
| S93 | 125 | S92 and (704/233 704/243 704/244).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 15:22 |
| S94 | 107082 | ((chang\$5 increas\$5 decreas\$5 adjust adjusting updat\$4 lower\$4 rais\$4) near8 (interval frequency period delay periodicity periodic)) near10 (unchang\$4 "same" constant ((threshold limit level difference change) near7 (less below under exceed\$4))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON - | 2006/11/29 15:42 |



| S95 | 65 | S94 and (704/233 704/243 704/244).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 15:48 |
|-----------|------|--|---|----|----|------------------|
| S96 | 4081 | ((chang\$5 increas\$5 decreas\$5 adjust adjusting lower\$4 rais\$4) near8 (updat\$4 sampl\$4) near7 (time)) near10 (unchang\$4 "same" constant ((threshold limit level difference change) near7 (less below under exceed\$4))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 15:43 |
| S97 | 4339 | ((chang\$5 increas\$5 decreas\$5 adjust adjusting lower\$4 rais\$4) near8 (updat\$4 sampl\$4) near7 (time)) near10 (unchang\$4 "same" constant ((threshold limit level difference chang\$4 fluctuat\$4) near7 (less below under exceed\$4 slow\$2))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 15:46 |
| S98 | 279 | (((chang\$5 increas\$5 decreas\$5 adjust adjusting lower\$4 rais\$4) near8 (updat\$4 sampl\$4) near7 (time)) near10 (unchang\$4 "same" constant ((threshold limit level difference chang\$4 fluctuat\$4) near7 (less below under exceed\$4 slow\$2)))) same (speech voice audio microphone transducer noise) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 16:21 |
| S99 | 47 | S97 and "704"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 15:47 |
| \$10 0 | 3 | S97 and (704/233 704/243 704/244).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 15:58 |



| S10 1 | 250 | (((chang\$5 increas\$5 decreas\$5 adjust adjusting lower\$4 rais\$4 adapt\$4) near8 (window estimat\$4 extract\$4) near7 (time interval period periodic rate analysis)) near10 (unchang\$4 "same" constant ((threshold limit level difference chang\$4 fluctuat\$4) near7 (less below under exceed\$4 slow\$2)))) same (speech voice audio microphone transducer noise) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 16:33 |
|----------|-----|---|---|----|----|------------------|
| S10 2 | 43 | S101 and ((speech voice) near5 recogni\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 16:27 |
| S10 3 | 356 | (((chang\$5 increas\$5 decreas\$5 adjust adjusting lower\$4 rais\$4 adapt\$4) near8 (window estimat\$4 extract\$4) near7 (time interval period periodic rate analysis)) near10 (unchang\$4 "same" constant ((threshold limit level difference chang\$4 fluctuat\$4) near7 (difference change)))) same (speech voice audio microphone transducer noise) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 16:58 |
| S10 4 | 521 | (microphone transducer noise background environment environmental distortion) near8 (difference chang\$3 fluctuat\$4) with ((slow\$2 frequent\$3 fast\$2 quick\$3 rapid\$3) near7 (updat\$4 estimat\$4 extract\$4 sampl\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 17:16 |
| S10 5 | 56 | S104 and ((speech voice) near6 (recogni\$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 17:17 |
| S10 6 | 46 | S104 and "704"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 17:12 |



| S10 7 | 933 | (microphone transducer noise background environment environmental distortion) near8 (difference chang\$3 fluctuat\$4) with ((interval period sampling) near7 (updat\$4 estimat\$4 extract\$4 sampl\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 17:15 |
|----------|-----|---|---|----|----|------------------|
| S10 8 | 110 | (microphone transducer noise background environment environmental distortion) near8 (vary\$3) with ((slow\$2 frequent\$3 fast\$2 quick\$3 rapid\$3) near7 (updat\$4 estimat\$4 extract\$4 sampl\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 18:42 |
| S10 9 | 37 | S107 and ((speech voice) near6 (recogni\$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 17:18 |
| S11 0 | 12 | S108 and "704"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 18:44 |
| S11 1 | 388 | (microphone transducer noise background environment environmental distortion interference) near8 (vary\$3 chang\$3 difference variance) with ((often increas\$4) near7 (updat\$4 estimat\$4 extract\$4 sampl\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 18:47 |
| S11 2 | 8 | S111 and "704"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 18:45 |
| S11 3 | 10 | S111 same (speech voice) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 18:46 |



| S11 4 | 36 | (microphone transducer noise background environment environmental distortion interference) near8 (varies) with ((often increas\$4 rapid quicker quickly faster) near7 (updat\$4 estimat\$4 extract\$4 sampl\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 18:52 |
|----------|----|--|---|----|----|------------------|
| S11 5 | 12 | (microphone transducer noise background environment environmental distortion interference) near8 (varies difference changes change differs differing) near7 (frame packet segment) with ((often increas\$4 rapid quicker quickly faster slower slowly) near7 (updat\$4 estimat\$4 extract\$4 sampl\$4 period interval)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 18:56 |
| S11 6 | 6 | (microphone transducer noise background environment environmental distortion interference) near8 (varies difference changes change differs differing) near7 (frame packet segment) with ((often increas\$4 rapid quicker quickly faster slower slowly) near7 (adapt\$4 adjust\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/29 18:56 |
| S11 7 | 16 | (microphone transducer noise background environment environmental distortion interference) near8 (varies difference changes change differs differing) near7 (previous prior past adjacent successive) with ((often increas\$4 rapid quicker quickly faster slower slowly) near7 (updat\$4 estimat\$4 extract\$4 sampl\$4 period interval)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/30 08:58 |